POLICOSANOL



POLICOSANOL is a dietary supplement made of medium-chain alcohols extracted from sugar cane wax. Long-chain fatty alcohols (LCFAs) derived from sugar cane have a wide health benefits and used as nutraceuticals or dietary supplements. Policosanols are a mixture of Long chain fatty alcohols mainly

Dotriacontanol, Heptacosanol, Hexacosanol, Nonacosanol, Octacosanol, Tetracosanol, Tetracosanol, Tetratriacontanol, Tetratriacontanol, Triacontanol. Various studies have shown that the plant waxes influence healthy lipid metabolism. Policosanol has several other health benefits and it is used for food and beverages.


UNIQUENESS OF SUNPURE PLICOSANOL

- Sourced from selected geographic locations of U.P. for better quality of suger cane.
- Processed immediately after sugarcane processing.
- Free from odour.
- Immaculate white powder.
- Finest particle size suitable for ready formulation.
- Free from solvent residues.
- Year round consistency in quality and supply.
- Fatty alcohols Standardisation by inhouse gas chromatography analysis.
- Assured quality and food safety with certifications like FSSAI, HACCP, GMP, Kosher, Halal, ISO 9001 :2015.

POLICOSANOL is found in sugar cane waste, in leaves of alfalfa, in wheat, and is also present in wheat germ. The major component, octacosanol is present at levels of 60% in material obtained from sugar cane only.

It is used for food and beverages.

POLICOSANOL reduces low-density lipoprotein (LDL) cholesterol oxidation, platelet aggregation, endothelial damage, and smooth muscle cell proliferation. It also inhibits cholesterol synthesis in the liver and enhances cholesterol degradation. Although it decreases platelet aggregation, policosanol does not change coagulation time. It is safe when taken appropriately for up to 2 years. Other names for policosanol include Octacosanol, 1-Octacosanol, N-Octacosanol, and Octacosyl Alcohol.



Sugar Cane Wax Extracts - Policosanol

- Policosanol Total Fatty acids 95% by HPLC Powder Form
- Policosanol Octacosanol 70% by HPLC-Powder Form
- Policosanol Octacosanol 60% by HPLC Powder Form
- Policosanol Octacosanol 40% by HPLC Powder Form

COMMON SEPCIFICATION

Description Plant Part used Identification Loss on drying Melting point

Botanical Name Saccharum officinarum White to off white powder Sugar cane wax To comply by GC

NMT 2.0%w/w

Between 80.0° to 83.0°C

HEALTH BENEFITS OF POLICOSANOL

Policosanol has been touted as a dietary supplement that can lower cholesterol





Policosanol significantly decreased systolic blood pressure

Octacosanol or policosanol treatment of HFD reduces plasma insulin levels





Octacosanol and policosanol prevent high-fat diet-induced obesity and metabolic disorders by activating brown adipose tissue and improving liver metabolism

Policosanol protects the blood vessels

References

- iaño G, Mas R, Fernandez L, Illnait J, Gamez R, Alvarez E. Effects of Policosanol 20 Versus 40 Mg/Day in the Tr atients With Type II Hypercholesterolemia: a 6-Month Double-Blind Study, International Journal of Clinical Phan
- . Castaño G, Mas K, Fernandez L, Ilinal J, Gamez K, Aharez E. Ettecks of tolicosanol 20 Versus 40 Mg/Day in the Irealment of Patients With Type II Hypercholesterolemia: a 6-Month Double-Blind Study. International Journal of Clinical Pharmacolog Research. 2001. 21(1):43-57.

 Swanson B, Keithley JK, Sha BE, et al. Policosanol for managing human immunodeficiency virus-related dyslipidemia in medically underserved population: a randomized, controlled clinical trial. Altern Ther Health Med. 2011;17(2):30-5.

 Berthold HK, Univerdorben S, Degenhardt R, Bulitta M, Gouni-berthold J. Effect of policosanol on lipid levels among pot with hypercholesterolemia or combined hyperlipidemia: a randomized controlled trial. JAMA. 2006;295(19):2262-9.

 Gastaño G, Más R, Fernández J, et al. Effect of policosanol borderline to mildly elevated serum total closesterol levels.
- .astano C, Mas K, Fernanaez J, et al. Effects of policosanol on borderine to mitaly elevated serum total cholesterol level a prospective, double-blind, placebo-controlled, parallel-group, comparative study. Curr Ther Res Clin Exp. 2003;64(8): 522-37. doi:10.1016/j.curtheres.2003.09.002 Lee JY, Choi HY, Kang YR, et al. Effects of long-term supplementation of policosanol on blood cholesterol/glucose levels D. Choi HY, Kang YR, et al. Effects of long-term supplementation of policosanol on blood cholesterol/glucose levels
- 3-hydroxy-3-methylglutaryl coenzyme a reductase activity in a rat model fed high cholesterol diets. Food Sci Biotechno 2016;25(3):899-904. doi:10.1007/s10068-016-0147V. Castaño G, Mas R, Gamez R, Fernandez J, Illnaii 1 2016;25(3),899-904. doi:10.1007/s10068-016-0147-y Castaño G, Mas R, Gamez R, Fernandez J, Ilhait J, Fernandez L, Mendoza S, Mesa M, Gutierrez JA, Lopez E. Concomii Use of Policosanol and Beba-Blockers in Older Potients. International Journal of Clinical Pharmacology Research. 2004.
- 24(2-3):65-77.
 Gong J, Gin X, Yuan F, et al. Efficacy and safety of sugarcane policosanol on dyslipidemia: A meta-analysis of randomized controlled trials. Mol Nutr Food Res. 2018;62(1) doi:10.1002/mnfr.201700280
 Castaño G, Mas R, Femandez L, Illinai J, Mendoza S, Gamez R, Femandez J, Mesa M. A Comparison of the Effects of D-003 and Policosanol (5 and 10 Mg/Day) in Refents With Type II Hypercholesterolemia: a Randomized, Double-Blinded Study. Drugs Under Experimental and Clinical Research. 2005. 31 Suppl:31-44.





Sunpure House, L-99 A, Dilshad Garden, Delhi- 110095, INDIA

Tel: +91-11-43586195, +91-11-35113848

Email: info@sunpure.co.in

Web: https://www.sunpure.co.in

Manufacturing Base: E-25, Industrial Area, Sikandrabad, Bulandshahr, Uttar Pradesh - 203205, INDIA

















